

*Schumacher*<sup>®</sup>

EV SERIES



Q1-2023

• **Hard-Wired**


• **Dynamic LED Status**

• **Durable Weatherproof Gousing**

• **Start / Stop button**

• **5m Cable**

• **Flexible Cable Mgmt (front side)**



**Low Profile**



**Type 2 Connector**





The durable, weatherproof, mode 3 unit is stylish with a high-end professional finish that blends in and complements any home exterior or garage interior. The lockable, ergonomically-designed connector can be stored in the unit on the right or left side based on consumer preference/garage configuration and also offers flexible cable management.



## Specification

## 1Ph 32 AC

Type	Wallbox - Stand Alone Dynamic load management
Standard	IEC61851-1
Rated voltage	230V AC $\pm$ 10%
Frequency	50-60 Hz
Maximum power	7.4 kW
Rated current max	32 A
Power system	1P + N + PE
Protection	RCD Leak 6mA
Charging mode	Mode 3
Cable Length	5m cables (Type2)
WIFI	YES
IP protection class	IP 66
IK protection Class	IK08
Certification	CE
Warranty	2 years

## Installation Spec :

plug type	Type 2
Circuit	Dedicated 32A / 230V
Installation type	indoor / outdoor
Installation location	Hardwire
Connection to the power supply network	Permanently connected to the grid

Hardwired installation requires a certified electrician and compliance with country electrical guidelines



 Schumacher®

Schumacher Europe SPRL | Z.I. - Rue de la Baronnerie 3 | B-4920 Harzé - Belgium | [www.schumachereurope.com](http://www.schumachereurope.com) | + 32 4 388 20 17